



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/747,946	12/31/2003	Joon Bum Shim	040008-0305451	6221

909 7590 04/19/2005

PILLSBURY WINTHROP SHAW PITTMAN, LLP
P.O. BOX 10500
MCLEAN, VA 22102

EXAMINER

NGUYEN, THANH T

ART UNIT PAPER NUMBER

2813

DATE MAILED: 04/19/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/747,946	Applicant(s) SHIM ET AL.	
	Examiner Thanh T. Nguyen	Art Unit 2813	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 25 January 2005.
- 2a) ☒ This action is FINAL. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-19 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-19 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

Applicant's arguments with respect to claims 1-19 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matsunuma et al. (U.S. Publication No. 2004/0121593) in view of Pike et al. (U.S. Patent No. 6,420,097), Aminpur et al. (U.S. Patent No. 6,482,726), Wolf "silicon processing for the VLSI ERA" vol. 2, page 194, pages 542-551, Bergman (U.S. Patent No. 5332445) and the Admitted Prior Art (pages 3-4).

Referring to figures 1a-1F, Matsunuma et al. teaches a method of fabricating submicron semiconductor device comprising:

- forming an oxide layer (12) on substrate (11);
- forming a polysilicon layer (13) on said oxide layer;
- forming a hard mask (14) on said polysilicon layer;

Art Unit: 2813

depositing a photoresist (15) on said hard mask and patterning the photoresist by using a mask (see figure 1b-1c);

etching the hard mask by plasma etching to form a thin hard mask pattern by using the photoresist pattern as an etching mask so that the hard mask pattern can have a narrower width than that of the photoresist pattern (see figures 1B-1C, paragraphs# 22-32).

etching said polysilicon layer (13) by using the hard mask pattern (14) as an etching mask, to form a gate electrode in said polysilicon layer having a desired critical dimension smaller than a corresponding critical dimension in said hard mask (figures 1d-1e).

Regarding to claim 8, wherein said hard mask is etched by means of isotropic etching (see paragraph# 27-32).

Regarding to claim 9, wherein said isotropic etching plasma etching (see paragraph# 27-32, ICP etching is plasma etch).

Regarding to claim 11, wherein said etching is performed through plasma etching (see paragraph# 27-32, ICP/ECR etching is plasma etch).

Regarding to claim 12, plasma etching performed using Cl_2/HBr , Cl_2/O_2 or HBr/O_2 as an etching gas (see paragraphs# 22-43).

However, the reference does not teach forming a hardmask layer SiH_4 oxide deposited by PE-CVD, depositing an organic or inorganic ARC on the hardmask so as to lower reflectivity, removing the hardmask layer by wet etching using HF gas and nitrogen gas, patterning the photoresist layer by using KrF layer as a light source, plasma etching uses SF_6 gas the etching rate, the percentage of HF, the temperature, etching selectivity, and the thickness or the hardmask layer.

Art Unit: 2813

Pike et al. teaches forming a polysilicon layer (116), forming a hardmask (oxide, 118) with thickness 50-500Å (see col. 4, lines 5-12), forming an organic or inorganic ARC on the oxide film (see col. 4, lines 59-67).

Therefore, it would have been obvious to a person of ordinary skill in the requisite art at the time of the invention was made would form a hardmask with thickness 50-500Å, forming an organic or inorganic ARC on the oxide film in process of Matsunuma et al. as taught by Pike et al. because forming an organic or inorganic film would minimize reflection of the incident radiation during patterning of the resist layer.

Aminpur et al. teaches forming a hardmask layer (650/740, silicon oxide) by using PECVD (see claims 1, 8), patterning the hardmask layer by isotropic etching or anisotropic etching using wet etching or plasma etching technique (see col. 7, lines 9-16, figures 6-7).

Therefore, it would have been obvious to a person of ordinary skill in the requisite art at the time of the invention was made would form hardmask layer by using PECVD, patterning the hardmask layer by isotropic etching or anisotropic etching using wet etching or plasma etching technique in process of Matsunuma et al. as taught by Aminpur et al. because forming the hardmask layer by PECVD process is known in the art to provide a good step coverage, patterning the layer by using isotropic etching or anisotropic etching using wet etching or plasma etching is known in the art to form semiconductor devices with a critical dimension.

Wolf teaches forming the oxide layer by using silane (SiH_4 gas) and O_2 to form a silane-oxide layer by PECVD method (see table 4, page 194 of Wolf) and etching the oxide hardmask layer by using plasma SF_6 (see pages 542-551, table 2).

Therefore, it would have been obvious to a person of ordinary skill in the requisite art at the time of the invention was made would from the silane-oxide layer by PECVD, etching the oxide hardmask layer by using plasma SF₆ in process of Matsunuma et al. as taught by Wolf because forming the PECVD oxide layer by using silane gas is known in the art to provide a good step coverage, etching the oxide hardmask layer by using plasma SF₆ to provide high selectivity.

Bergman teaches etching the hardmask (oxide/nitride) layer by using HF and nitrogen gas (see col. 3, lines 41+, and col. 6, lines 15+).

Therefore, it would have been obvious to a person of ordinary skill in the requisite art at the time of the invention was made would etch the hardmask (oxide/nitride) layer by using HF and nitrogen gas in process of Matsunuma et al. et al. as taught by Bergman because the process would provide high speed etching of good uniformity and superior particle count performance.

The background of the invention teaches pattern the photoresist layer by using KrF laser as a light source (see paragraph# 8 of the present application).

Therefore, it would have been obvious to a person of ordinary skill in the requisite art at the time of the invention was made would pattern the photoresist layer by using KrF laser as a light source in process of Matsunuma et al. et al. as taught by the background of the invention because the process is know to pattern the photoresist layer to achieve a high-integration semiconductor device.

The etching rate, the percentage of HF, the temperature, etching selectivity, and the thickness of the hardmask layer range of claims 6, 12, 15-18 are considered to involve routine

Art Unit: 2813

optimization while has been held to be within the level of ordinary skill in the art. As noted in *In re Aller*, the selection of reaction parameters such as temperature and concentration would have been obvious:

Normally, it is to be expected that a change in temperature, or in concentration, or in both, would be an unpatentable modification. Under some circumstances, however, changes such as these may impart patentability to a process if the particular ranges claimed produce a new and unexpected result which is different in kind and not merely degree from the results of the prior art...such ranges are termed "critical ranges" and the applicant has the burden of proving such criticality.... More particularly, where the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation. □

In re Aller 105 USPQ233, 255 (CCPA 1955). See also *In re Waite* 77 USPQ 586 (CCPA 1948); *In re Scherl* 70 USPQ 204 (CCPA 1946); *In re Irmscher* 66 USPQ 314 (CCPA 1945); *In re Norman* 66 USPQ 308 (CCPA 1945); *In re Swenson* 56 USPQ 372 (CCPA 1942); *In re Sola* 25 USPQ 433 (CCPA 1935); *In re Dreyfus* 24 USPQ 52 (CCPA 1934). Therefore, one of ordinary skill in the requisite art at the time the invention was made

would have used any etching rate, the percentage of HF, the temperature, etching selectivity, and the thickness range suitable to the method in process of Matsunuma et al. in order to optimize the process.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a).

Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period

Art Unit: 2813

will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thanh Nguyen whose telephone number is (571) 272-1695, or by Email via address Thanh.Nguyen@uspto.gov. The examiner can normally be reached on Monday-Thursday from 6:00AM to 3:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carl Whitehead, Jr., can be reached on (571) 272-1702. The fax phone number for this Group is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 308-0956 (See **MPEP 203.08**).



Thanh Nguyen
Patent Examiner
Patent Examining Group 2800

TTN